


Congrats on your new pet! This welcome kit is a great reference for tips from Belltowne Veterinary Center on how to keep your pup healthy and happy.





- Dog Treats & Cookies (low calorie)
- Nail Trimmer & Styptic Powder
- Air-Tight Food Container & Scoop
- Regular Grooming Program
- Dog Bed
- Short/Long Term Confinement Area
- Books on Dog Care (breed specific)
- De-Shedding Tool



DAILY PET CHECK: FOR A HEALTHY DOG

🖌 МҮ РЕТ

- Is acting normal, active and happy.
- Does not tire easily after moderate exercise. Does not have seizures or fainting episodes.
- Has a normal appetite, with no significant weight change. Does not vomit or regurgitate food.
- Has normal appearing bowel movements (firm, formed, mucus-free). Doesn't scoot on the floor or chew under the tail excessively.
- Has a full glossy coat with no missing hair, mats or excessive shedding. Doesn't scratch, lick or chew excessively.
- Has skin that is free of dry flakes, not greasy, and is odor-free. Is free from fleas, ticks or mites.
- Has a body free from lumps and bumps. Has ears that are clean and odor-free.
- Doesn't shake head or dig at ears.
- Doesn't rub face and ears on the carpet after eating. Has eyes that are bright, clear and free of discharge.
- Has normal hearing and reactions to the environment. Walks without stiffness, pain or difficulty.
- Has healthy looking feet and short nails (including dewclaws). Breathes normally, without straining or coughing.
- Has normal thirst and drinks the usual amount of water at the same frequency.
- Urinates in the usual amount and frequency; color is normal, no unusual odor.
- Has a moist nose, free of discharge.
- Has clean white teeth, free from plaque, tartar or bad breath.
- Has gums that are moist and pink with no redness, swelling or offensive odor.
- Has no offensive habits (biting, chewing, scratching, or spraying urine, or aggressive behavior.



BELLTOWN



When you bring home a new puppy, it's important to balance your excitement with a plan for puppy proofing your home. These tips will help you prepare for his arrival:

Through Your Dog's Eyes

Before you bring your new best friend home, make sure it's a safe place. Check for any safety hazards that could hurt a curious animal. Wondering what to look out for? Start by walking around your home identifying loose wires and exposed electrical cords. Puppies like to chew, and unfortunately these cables are very tempting. Tape down or secure any that cannot be moved or hide small ones on a shelf he can't get to.

Do you have kids in the house? Invite them to the puppy proofing game. Down on your hands and knees, pretend to be puppies yourselves. This technique lets you better identify any toys, objects, or even trash your dog could try to eat. If there's an area of your home that's impossible to clean up, such as a playroom, keep your dog away by closing the door or installing a baby gate. Barriers can be good to keep at the top or bottom of the stairs, especially if you have a small or a toy breed dog that could be hurt by a tumble.

Those Aren't Chew Toys

It's easy for your dog to mistake items around your home for his personal playthings. Start by unplugging any small appliances after you use them. For example, don't leave your hair dryer plugged in with its cord dangling where puppy can pull or chew it. Chewed cables can be hazardous to everyone in your home and frayed wires could spark and cause an electrical fire.

Cords aren't the only items your dog may want to chomp on. In fact, puppies love teething on shoes, and you probably have many pairs at entrances or open closets. Whether you own high heels, sandals, sneakers, or boots, dogs don't discriminate when looking for a toy or afternoon snack. If your new puppy gets into your footwear, he could ruin your shoes, or even worse, bite off pieces that could be choking hazards. Keep them closed off in a room or compartment where your dog can't access them. It's best to train him what are and are not toys from an early age to help save you from financial headaches, having to replace shoes, rugs, clothing, children's toys, and more.

Wet Spots and Hot Spots

Even if you have taken the time to clean up and puppy proof, there are many common household items that can be dangerous to a new pup. Certain areas of your home need puppy proofing. Do you have a pool in your backyard? Be sure it's gated off so your dog can't jump in. Although some dogs are strong swimmers, a pool still poses a drowning risk for puppies who are left unattended.

All hot spots are no-no's for puppies, whether it's a fireplace, electric heater, or wood stove. Secure the perimeter of each heat source, and, with training, reinforce that this is not a puppy-friendly area. Plants, Cleaners, and Medicine

Houseplants add gorgeous greenery to your home, but some plants are extremely toxic to dogs. Know which plants are toxic—such as mistletoe, chrysanthemums, and lilies, among others—and remove any you currently have inside. Many household cleaners and similar products can be just as dangerous if ingested. Keep your pet away from volatile substances in your garage such as oil, car cleaners, rock salt, and antifreeze.







Also, canines can get confused over medications or vitamins they think are treats. Keep them stored safely in a high cabinet where neither kids nor pups can get to them. The same goes for dishwasher or laundry detergent, both of which should be stored out of reach—preferably in a locked closet (dogs can open them otherwise)!

Keep the Floor Clean

Keep a careful eye on what ends up on the floor once you bring your dog home. Yes, you and your family crawled around to pick up tiny items to protect your dog before you brought him home. This needs to be done again on occasion once he moves in. Clean up anything that falls on the floor when cooking; foods like chocolate are well known to be harmful to dogs. Your eager companion could just as easily choke on small items or eat something that causes trouble during digestion, like floss or a rubber band. Vacuum or sweep your floors regularly to prevent any of these scary issues.

Protect Your Belongings

Not only do you want to keep your puppy safe, but you should also protect your belongings from him. No one wants to see a chewed-up couch, scratched door, or broken irreplaceable keepsake when they get home. The first step is prevention. If there's anything you wouldn't want ruined or broken, move it temporarily. Use washable blankets and liners to prevent any accidents from staining your couch, and puppy-safe bitter sprays can be used on exposed wood to repel chew-crazy pooches. A large glass urn on your floor may deserve a new home on a side table or in a closet until your puppy is tame enough to navigate it. Consider this for any heirlooms that can be peed on, chewed up, or broken.

Plan for Mischief

Even with the best puppy proofing and dog training regimen, it's likely that your furry family member will still find ways to get in trouble. But be patient with him; a puppy needs to learn the rules before he can handle your responses if he breaks them. He doesn't know your old house slippers aren't chew toys until you teach him. He may also think the kitchen garbage can is one tall doggy bowl filled with a great selection of dinner treats. Don't let this potential overwhelm you—most situations can be addressed as they happen. Practice your dog-training techniques so that your dog will know what he can and cannot play with.

It only takes a little time to puppy proof your home, and your dog will be grateful to live in such a safe place. As he grows with your family, watch him learn what's allowed inside, and you'll find yourself having to put in less effort to remind him. Until then, keep your new puppy safe from any possible hazards.







Q Will spaying or neutering cause my pet to become overweight and lazy?

A Spaying or neutering your pet will not necessarily make your pet become overweight and lazy. Heredity, diet, and how much and what type of exercise has more influence on the weight and attitude of your pet than does the surgery.

Q Is spaying or neutering dangerous?

A There is always a risk while a patient is under general anesthesia, whether the patient is human or animal. Veterinary procedures are very similar to human medical procedures. The risk is very small in healthy animals; and we take extra precautions for your pet's comfort, safety, and recovery.

Q Should I wait until my pet has had a litter?


A The answer to this question is NO.

 \mathbf{O}

Δ

When is the best time to have my pet undergo this procedure?

The best age for spaying and neutering is around five months of age. The first heat cycle in a female cat usually occurs around this time. Neutering your pet prevents many undesirable behavior patterns.



EMERGENCY CONTACTS: INFO



Belltowne Veterinary Center

360-277-3800

24161 NE State Route 3 Belfair, WA 98528

Monday - Friday: 8:00am to 8:00pm

Saturday & Sunday: 8:00am to 4:00pm



For emergencies outside of our business hours, please contact one of the following emergency hospitals.



ANIMAL EMERGENCY & TRAUMA CENTER

360-697-7771 320 Lindvig Way Poulsbo, WA 98370





CRATING TRAINING: YOUR PUPPY



YOU CAN

- Enjoy peace of mind when leaving your dog at home alone, knowing that nothing can be soiled or destroyed, and your pet is protected.
- Housebreak your dog quickly, using confinement to encourage control.
- Prevent "accidents" at night or when left alone.
- Effectively confine your dog when overexcited or bothered.
- Travel with your dog without risk of the driver being distracted or your dog getting loose

YOUR DOG CAN

- Enjoy the privacy and security of a "den" of their own.
- Easily learn to control their bowels and to associate elimination only with the outdoors or other designated locations.
- Be conveniently included in family outings, visits, and trips instead of being left behind.
- Stay out of trouble when you're not around

CRATING A PUPPY

A crate should always be large enough to permit your dog to stretch out flat on his side without being cramped and to sit up without hitting his head on the top. Measure your dog from the tip of their nose to the base of their tail. In the instance that a crate is too large for a growing puppy, purchase a crate that comes with a partition so you can adjust it as your puppy grows. If the crate is too large your puppy will sleep in one end and use the other end as a bathroom.

The crate should be placed in or as close to a "people" area as possible, like the kitchen, family room, or bedroom.

A young puppy (8-16 weeks) should normally have no problem accepting the crate as their "own place." Your pet may bark when first placed in the crate during the early stages of training. He or she is simply learning to accept this new environment.

For bedding, use a towel or blanket that can be easily washed. A nylon bed is also a great option because it is easy to clean and durable. Avoid putting newspaper in or under the crate, as it may encourage elimination.

Make it clear to all family members that the crate is NOT a playhouse. Its purpose is to be a special and comforting room for the puppy. You should not however allow your puppy to become overprotective of the crate. Your puppy should allow you to reach into the crate at any time.

Establish the "crate routine" immediately, closing the puppy in at regular intervals throughout the day and whenever your puppy must be left alone for up to 3-4 hours. Consider removing your puppy's collar and tags because they could get caught.







It may sound overwhelming and difficult, but socializing your puppy is really quite easy, and doing it early will help ensure that your puppy matures into a friendly, adult dog that is a joy to be around.

When to start socializing

You can't start socializing soon enough. The benefits of early socialization simply cannot be overemphasized, but the good news is that it's easy and can be fun for both you and your puppy. All you must do is take him out and about as much as you can and as soon as possible. And with first vaccinations being offered at six weeks, you can take him out of the house earlier than ever before. Try not to do too much too soon. It is best to build up your puppy's new experiences slowly at first.

Your puppy and other people

People come in all different shapes and sizes and your puppy should have the opportunity to encounter them all. Get him used to strangers but be careful that they don't scare or overwhelm him with a strong show of affection.

It's important that your puppy becomes acquainted with children, too. Even if there aren't any children in the house, get him to meet some outside. Take him on walks in the park, where you are sure to encounter children who will be drawn to your cuddly new puppy. Arrange meetings with friends who have well-behaved children for controlled positive interactions.

Don't forget that puppies can become tired quickly; make sure that meeting times with new people are kept quite short so your puppy has time to rest.

Your puppy and other animals

A crucial aspect of socialization is the introduction of your puppy to other dogs as well as other animals. It is very important that your puppy only meets other animals that you know are well socialized, as a nasty experience can have a lifelong effect on a puppy. Also be sure the other dogs are free from any communicable health problems.

By being around adult dogs, your puppy will learn to respect his elders. An older dog will have no problem putting your little one in his place if he gets a little over excited. Be careful that your puppy doesn't become overwhelmed by a bigger, playful dog. The last thing you want is for him to be frightened, so make sure you're on hand to intervene and provide a safe haven if necessary. There's no reason why your puppy shouldn't meet other four-legged friends, such as cats, horses and even farm animals. This kind of exposure will help your puppy grow into a confident, friendly adult dog.

Introducing your puppy to other pets in the home

Before introducing your new puppy to other pets in the household, visit your veterinarian to ensure all pets are healthy and their vaccinations are up to date.

Introduce your new puppy to other pets gradually and one at a time. Keeping your new puppy in a carrier or behind an expandable baby gate is a good way to supervise the first encounter. During the introduction, separate the pets at any sign of aggression. Acceptance may take time, so never leave your new puppy unsupervised with any of your other pets until you are certain they get along well. Always keep smaller pets, such as hamsters, fish and birds, safely out of reach. Above all, be patient! It's a big world out there for your pup and it's up to you to help him get acclimated.







CENTER

For successful training, practice the following basic training steps with your puppy every day. Keep training sessions short. Your puppy will see everything as a game, so keep him stimulated by changing up what he's learning. Do each command for about five minutes and come back to it whenever you can.

Practice your commands in a variety of different places — in the living room, garden, hallway, or kitchen, and even out on walks — so that he gets used to responding to you in all sorts of situations. Your puppy will learn very quickly and respond to love and affection as well as rewards. Praise and rewarding good behavior during all activities, such as sitting still for grooming and traveling quietly in the car, will help him learn how to be on his best behavior. Obedience training will help build a lasting bond between the two of you and you'll be rewarded with a happy, well-trained dog.

Table manners

Giving in to your puppy's every need is not a good thing. As your puppy grows, so will his need to assert himself. Puppies often choose mealtimes as a battleground. But giving in to him is a mistake. You need to make sure he knows that you won't respond to his every demand.

Your puppy needs to learn that people around him, particularly small children, can be a bit unpredictable. But he needs to accept that their unpredictable behavior is not threatening. You can help him do this by imitating a child's behavior. Try stepping quickly towards his bowl — then drop in a treat. Gently bump into him, while he's eating, or roll toys nearby — anything to cause a distraction but drop a treat in the bowl to reward him for continuing to eat calmly. Do this every so often, but not at every meal. If your puppy freezes mid-mouthful, growls or glares at you, stop and try again another time. If this continues, it's best to seek advice from a veterinary behaviorist or certified dog trainer.

Reading your puppy's body language

Dogs have always communicated with each other by using body language. This involves facial expressions, body postures, noises and scents. Dogs will use their mouth, eyes, ears, and tail to express emotions. By learning how to interpret your puppy's body language, you can interpret your puppy's intentions.

Signs of aggression or submission: If your puppy is feeling brave or aggressive, he'll try to make himself larger by standing tall, with his ears and tail sticking upright. He'll also push out his chest and raise the hair on his neck and back. He might also growl and wave his tail slowly.

On the other hand, a submissive dog will try to make himself appear small and act like a puppy. This is because an adult dog will "tell off" a puppy but not attack him. Submission will take the form of a sideways crouch near to the ground, his tail held low but wagging away. He may also try to lick the face of the dominant dog or human. He may even roll on his back.

Your puppy's tail: Most of us recognize that tail wagging is a sign of friendliness and pleasure, but the tail can indicate other moods, too. The normal way a dog holds his tail varies from breed to breed but generally speaking, a tail held higher than 45 degrees to the back expresses alertness and interest.

If your puppy's tail is waved slowly and stiffly, that's an expression of anger. If it's clamped low over his hindquarters, it means your pet is afraid. An anxious or nervous dog may droop his tail but wag it stiffly.



COMMUNICATION: AND YOUR PUPPY



Your puppy's eyes: If your dog's eyes are half closed, that's a sign of pleasure or submission, while eyes wide open can indicate aggression. In the wild, dogs stare at each other until one backs down or makes a challenge, so you should never attempt to outstare your puppy, especially if he's nervous.

Your puppy's smile: Submissive dogs and some breeds such as Labradors often open their mouths in a kind of lop-sided "grin", and indeed, it is a sign of friendliness. But when lips are drawn back tightly to bare the teeth, that's aggression, make no mistake.

Wanting to play: If your puppy wants to play, he'll raise a paw or bow down and bark to attract attention. Or he might offer up a toy or bound up to another dog to get him to join in a chase.

How your dog sees you: Your puppy will watch you to read your body signals more than he will listen to you, and he'll quickly learn what you're feeling even without you speaking. If you want to improve communication with your puppy, you can improve upon your own body language. For example, crouching down with arms opened out is a welcome sign while towering over him and staring is a sign of threat.

How your puppy learns: Your puppy will learn very quickly, so it's important that he learns how to behave properly right from the start. Dogs learn by association, so if your puppy does something good, reward him. Then the action is much more likely to be repeated. But the reward must be linked to the action, so he must be rewarded quickly, within a second or two. The reward itself can be a few kibbles of puppy food or praise, or both. Your puppy needs to be taught what he can and cannot do. Some harmless behaviors can be ignored, but potentially dangerous ones need to be handled immediately by interrupting the behavior with a sharp "no" to get his attention — be sure to reward him when he stops and pays attention to you. Shouting or hitting will not help your puppy learn.

Understanding barking and whining *Barking*

Barking is a totally natural aspect of a dog's behavior, but you, your family, and your neighbors will be happier if you can bring it under control. It's hardly surprising many people have barking problems with their dogs, since most dogs have no idea whether barking is something good or bad. That's because our reaction to his barking is confusing to the dog. In his eyes, when he barks, he is sometimes ignored, while at other times he is shouted at to stop, and then again, he may be encouraged to bark if, for example, there's a suspicious stranger nearby. To help your dog know when barking is acceptable, you simply need to teach him that he may bark until he is told to stop. "Stop barking" should be considered as a command for obedience rather than a telling off. Start the training by letting your dog bark two or three times, praise him for sounding the alarm, then say, "Stop barking" and hold out a treat in front of him. Your dog will stop immediately if only due to the fact that he can't sniff the treat while barking stops to the giving of the reward. If you are concerned about excessive barking that you have no control over, you should seek advice from your veterinarian about next steps, such as specialist training or therapy.

Whining

If you comfort your puppy whenever he whines, it may actually make things worse. It will make your puppy think he's being praised for whining and get him into the habit of repeating it for your affection. You can help your puppy learn to stop whining by not going to him when he whines. By ignoring your puppy, and only giving him attention and praise when he stops whining, he'll learn that whining and whimpering is not the way to earn your approval





We all love our pets, but we do not love the fur they leave all over our homes and on us. Here are some tips to reduce shedding:

BATHING & GROOMING

Brush your pet regularly. Regular brushing reduces shedding, helps to reduce the undercoat without damaging the top-coat, and helps to bring out the pet's natural oils, promoting healthy skin and a shiny topcoat. Start brushing at a very young age to get your pet used to the sensation.

Bathe your pet as needed with an oatmeal-based shampoo. Dogs and cats benefit from bathing and grooming. A clean pet gets petted more and therefore a clean pet is a happy pet.

DIET

Provide a high-quality diet–look for foods that contain vitamins E and C (tocopherols and ascorbic acid) as a preservative rather than BHT, BHA, and ethoxyquin.

SUPPLEMENTS


Supplements you give to your animal should be tailored to them. Please consult with your Heartfelt veterinarian.







Please note not all vaccines are for all pets. Your veterinarian will discuss with you the vaccinations that are right for your pet and its lifestyle. In addition to the schedule below, we recommend year-round flea and tick prevention.



1st Influenza Vaccine

> Belitowne VETERINARY CENTER

HOME HAZARDS: BE MINDFUL OF THESE





GENERAL HOME HAZARDS

	Plants*	Lead	Fireplaces
	Drugs, Medicine, Vitamins	Wax	Fire Pits & Grills
	Fabric Softener	Cotton Swabs	Compost
	Mothballs	Pins, Needles, Tacks Paper Clips	Fertilizers & Mulch
	Bleach	Rubber Bands	Algae
	Disinfectants, Detergents, & Cleaning Products	Hair Pins & Fasteners	Bodies of Water
	Solvents & Removers	Twists & Ties	Sinks & Tubs Washers & Dryers
	Potpourri	String, Yarn, Dental Floss	Toilets
	Tobacco Products	Buttons	Doors & Windows
	Lighter Fluid	Coins	Balconies
	Gasoline	Small Balls/Toys	Fences & Gates
	Oil & Antifreeze/Coolant	Batteries	Branches & Sticks
	De-Icing Salts	Electric Cords	
	Pesticides, Insect or Rodent Traps & Bait	Glass & Sharp Objects	
(HARMFUL FOODS	
	Avocados	Grapes & Raisins	Moldy/Spoiled Foods
	Chocolate	Macadamia Nuts	Fatty Foods
	Coffee	Tea Leaves	Raw Yeast Doug
	Onions	Alcohol	Gum, Candies, & Foods

Sweetened with Xylitol

Belltowne Veterinary Center

For more information:

Garlic



Salt

HAZARDS: PLANTS



PLANT HAZARDS

Aloe Amaryllis Andromeda Japonica Avocado Asparagus Fern Australian Nut Autumn Crocus Azalea Anemone Apricot Arrow Grass **Buttercup** Belladonna Bird of Paradise Bittersweet Black Locust **Burning Bush** Buckeye **Buddhist Pine** Balsam Baneberry Black-Eyed Susan **Bleeding Heart** Bloodroot Boxwood

Castor Bean Caladium Ceriman Clematis Cordatum Corn Plant Cycads Cyclamen Cactus Cherry (Most Forms) Chrysanthemum Daphne Daffodil Delphinium Dieffenbachia Dumbcane Euonymus Eucalyptus **Elephant Ears** Fiddle Leaf Philodendron Flax Four O-Clock Foxglove

Corn Flower Crocus

Ferns (Most Forms) Gladiolas **Golden Pothos** Golden Glow Heavenly Bamboo Honeysuckle Hurricane Plant Hyacinth Hydrangea Henbane Hemlock Horse Chestnut Iris Ivy (Most Forms) Jerusalem Cherry Jimson Weed Jack In The Pulpit Japanese Plum Java Beans Jonguil Kalanchoe Lantana Lilies (Most Forms) Lupine Locoweed

Marble Queen Morning Glory Mother In Law Mountain Laurel Mistletoe Monkshood Mushrooms Narcissue Nephthysis Nightshade Nutmeg Oleander Panda Philodendron Poison Hemlock Precatory Bean Privet Peach Pear Peonv Periwinkle Pimpernel Poinsettia Poison Ivy Poison Oak

Pokeweed Poppy Potato **Red Emerald** Rhododendron **Ribbon Plant** Rhubarb Sage Palm Satin Pothos Scheflera Striped Dracaena Sweetheart Ivy Scotch Broom Skunk Cabbage Star Of Bethlehem Sweet Pea Tulip Tobacco Tomato Virginia Creeper Water Hemlock Wisteria Wild Barley Yew Yucca

For more information:

www.aspca.org/pet-care/animal-poison-control/toxic-and-non-toxic-plants



HAZARDS: HOLIDAYS



VALENTINE'S DAY

Many types of flowers and plants found in bouquets are harmful to dogs and cats if they are ingested (see our list of hazardous plants).

Chocolate can cause vomiting, diarrhea, hyperactivity, abnormal heart rhythm, seizures, and in severe cases chocolate poisoning can be fatal (see our list of harmful foods).

EASTER

Fake grass may look appetizing to your pets, but it could cause them to choke or obstruct their intestines if ingested.

Small toys and plastic Easter eggs can cause your pet to choke or damage their intestinal tract.

Chocolate can cause vomiting, diarrhea, hyperactivity, abnormal heart rhythm, seizures, and in severe cases chocolate poisoning can be fatal. Xylitol (artificial sweetener) in candy and gum is toxic to your pet (see our list of harmful foods).

4TH OF JULY

Fireworks can scare your pets, making them highly nervous or even run off. Fireworks can also cause serious injuries if detonated near your pet. If ingested, they are toxic.

With more people and food around during picnics and parties, be mindful of food accessible to your pet (see our list of harmful foods).

HALLOWEEN

Repeatedly opening doors for trick-or-treaters can increase the chances of your pet running out. If your pet likes to run out or is not friendly to other people, consider crating or keeping them in a secure area.

Pets are naturally curious and may be attracted to lights and flames. Dogs and cats could get burned on candles or knock them over and cause a fire.

Chocolate can cause vomiting, diarrhea, hyperactivity, abnormal heart rhythm, seizures, and in severe cases chocolate poisoning can be fatal. Xylitol (artificial sweetener) in candy, gum and mints is toxic to your pet (see our list of harmful foods).

THANKSGIVING

Animal bones, especially turkey, chicken, and other small animals, are very different from the large bones you find in the pet store. These small bones splinter easily and can cause serious internal damage if swallowed. Never give them to your pet.

Your pet will most likely become curious when they smell something cooking. Keep an eye on hot containers so that your pet does not tip them over and get burned.

There are many foods that are dangerous to your pet (see our list of harmful foods).





CHRISTMAS

Holiday plants like poinsettia, holly, lilies and mistletoe are all toxic to dogs and cats. (see our list of harmful plants).

Ribbons may look adorable on your pet but placing them around your pet's neck may cause them to choke. If swallowed, your pet could choke, or it could cause internal trauma.

Antique bubbling lights are attractive decorations, but may contain methylene chloride, which is a highly toxic chemical.

Fire salts contain chemicals that could be harmful to your pets.

Angel hair is a form of spun glass and can be irritating to the eyes and skin and could cause intestinal obstruction if eaten.

Christmas tree water containing preservatives or stagnant water could result in stomach upset if ingested. Styrofoam can cause your pets to choke if swallowed.

Ornaments can look like toys to your pet, but they can cause serious injury, especially if your pet breaks or swallows them.

Tinsel can cause choking or internal trauma if swallowed.

Pets are naturally curious and may be attracted to lights and flames. Dogs and cats could get burned on candles or knock them over and cause a fire.

Your pet will most likely become curious when they smell something cooking or baking. Keep an eye on hot containers so that your pet does not tip them over and get burned.

There are many foods that are dangerous to your pet (see our list of harmful foods).

NEW YEAR'S EVE

Balloons and confetti can cause your pet to choke or obstruct their intestines if ingested. Keep an eye on your pets when they're around these items or move them to an area that is not decorated.

New Year's Eve can be a loud holiday. Unfortunately, loud noises can frighten pets and cause them to be overly nervous or run off. Keep your pets away from noise makers, loud music and other sounds that startle them.

Watch your pets around party foods and alcoholic beverages, that are often left unattended. There are many foods that are dangerous to your pet (see our list of harmful foods).



HOW TO GREET A DOG: & WHAT TO AVOID





Avoid reaching into their safety zone.



Avoid rushing up.



Avoid interactions without asking.



Avoid staring at people. This is scary.



Avoid looming over.



Avoid reaching into personal space.



Avoid close interaction if the person is afraid of you.



Avoid touching inappropriately.

Human to Dog INCORRECT



Avoid reaching in or towards the dog's car.



Avoid rushing up.



Avoid interacting with unfamiliar dogs, especially if they're tied up.



Avoid staring at or approaching head-on.



Avoid leaning over or towards dogs even when you change position to squat or get up.



Avoid reaching your hand out for the dog to sniff.



Avoid petting if the dog looks nervous or tense. Just admire him instead.



Avoid hugging, kissing, and patting roughly. This is too familiar and disliked by many dogs.



<mark>luman to Do</mark>ؤ CORRECT



Stand a safe distance away so that you are not a threat.



Approach slowly (at a relaxed walk).



Ask if you can interact first.



Approach sideways and look using your peripheral vision.



Stay outside the dog's bubble and present your side to the dog.



Let the dog approach at his own rate.



It's OK to pet the dog if he looks relaxed, comes up to you, and solicits your attention by rubbing against you.



Pet gently.





BE KIND

Be polite and kind to pets. Learn to recognize when your dog is scared or anxious.

Comfortable





Uncomfortable



ALWAYS REMEMBER

Supervise your kids to avoid accidents and train your dog to associate the kids with positive experiences for appropriate pet-child interaction.





Source: www.drsophiayin.com, Dr Sophia Yin, DVM, MS







Laser therapy uses a beam of light able to penetrate deeply into tissues and induce chemical changes in cells. This is called photo-bio-stimulation.

What does it do?

The particles of light or photons penetrate damaged cells and stimulate healing and pain relief within those tissues. Therapeutic lasers have no effect on normal cells. They are not simple heat treatments, but rather a method of increasing cellular metabolism. This speeds up and facilitates the healing process.

Can it hurt my pet?

Therapeutic lasers are not the same as cutting lasers used in surgery. They will not burn but will create warmth in the treated area.

What can it treat?

Most conditions that are associated with inflammation, wounds or pain can be treated.

- Post-surgical pain, wound healing and swelling
- Chronic inflammatory and/or painful conditions such as arthritis, nerve entrapment, joint or muscle pain/swelling
- Non-healing wounds
- · Laser treatment Improves nerve function following injury
- Lasers can be used as "needleless" acupuncture point stimulation

Can laser therapy be used on people?

Laser therapy was discovered in Hungary in 1967 and used in the Soviet Union and China during the 1970's-1980's. In 1993 research on laser treatments at the Robert Wood Johnson Foundation in Princeton lead to the effort to compile data to comply with FDA regulations and in 1998 the North American Association for Laser Therapy was established.

How long are treatments?

Treatment sessions can be as short as one minute if one small area is involved and up to thirty minutes for multiple joints in the case of severe arthritis.

How many treatments are needed?

The frequency of treatments is as important as the number of treatments. We usually advise six treatments for most cases, sometimes more for acute conditions. Generally, we treat three times the first week, twice the second week and once the third. The effects of laser therapy are cumulative and therefore not as successful if many days pass between initial treatments.



Knowing about common dog diseases and being aware of appropriate prevention and treatment can better help you provide excellent care. Some of the most common and serious dog diseases have been made less common through vaccines; however, these diseases continue to threaten a dog that lacks proper immunization. The following diseases can be prevented through vaccinations.

Distemper

Canine distemper is caused by a highly contagious, airborne virus. It affects the dog's respiratory, gastrointestinal, and nervous systems. Early symptoms are those of a "cold" — runny eyes and nose, fever, cough, and often diarrhea. Later in the course of disease there may be nervous twitching, paralysis, and seizures (convulsions). There is no successful treatment.

Hepatitis (Adenovirus)

Canine infectious hepatitis is a viral disease transmitted by urine, feces, or saliva of infected animals. It affects the liver, kidney, and blood vessels. The signs are fever, tissue swelling, and hemorrhage. Treatment may require blood transfusions and intensive care.

Leptospirosis

Canine leptospirosis is caused by bacteria spread through contact with nasal secretions, urine, or saliva of infected animals. The disease also can infect humans. Lepto infects the kidneys and causes fever, vomiting, diarrhea, and jaundice. Treatment requires antibiotics, intensive care, and intravenous (IV) fluid therapy. Dogs that recover may be left with permanent kidney damage.

Kennel Cough

Canine infectious tracheobronchitis is caused by several viruses (including parainfluenza) and bacteria (including Bordetella). This highly contagious disease attacks the respiratory system, causing a chronic, dry, hacking cough. It is generally a mild infection, but it may progress to severe pneumonia in young puppies or older dogs.

Parvo

Canine parvovirus is a deadly contagious viral disease that is spread by contact with infected fecal material. The virus is difficult to kill and is easily spread. It attacks the gastrointestinal system, causing fever, lethargy, vomiting, bloody diarrhea, and rapid dehydration. Treatment requires intensive IV fluid and supportive therapy and has a variable rate of success.

Rabies

Rabies is a viral infection of all mammals, including man. It is transmitted by the bite of an infected animal. The virus infects the central nervous system, causing a brain infection (encephalitis), which is always fatal. There is no treatment for dog or man after symptoms appear. However, a vaccine is effective in preventing the disease in people if it is administered soon after their possible exposure.



Heartworms

Heartworms are devastating internal parasites that live in a dog's heart and in the big vessels near the heart, where they cause severe damage to the circulatory system and lungs. They are transmitted by the bite of a mosquito that has bitten an infected dog. Treatment is difficult, but preventive measures are available. Dogs should be tested annually. If the test is positive, treatment may be attempted. If the test is negative, preventive medication can be given to your dog on a monthly basis throughout the year. Consult with your veterinarian to determine the best heartworm prevention plan for your dog.

Tapeworms

Tapeworms are long, segmented worms. They are transmitted when a dog ingests a larval stage of the worm found in a flea or the raw meat of small mammals. A dog that hunts on its own or has had fleas will likely develop tapeworms. Individual tapeworm segments are easily seen in freshly passed feces. Special deworming medication is required for treatment.

Roundworms

The long, thin spaghetti-like Ascarids worms inhabit the intestine. Some types of these worms can be seen in an infected dog's feces. These worms commonly create a problem in puppies, where they cause stunted growth, lethargy, diarrhea, vomiting, and a pot-bellied appearance. In severe cases, ascarids can cause seizures (convulsions).

Hookworms

Hookworms attach themselves to the intestinal wall and suck blood from the dog. They can be transmitted in utero and via the mother's milk to newborn puppies. Consequently, puppies may have hookworms at a very early age. Signs of infection include lethargy, stunted growth, anemia, and dark, tarry feces. Hookworms are a potentially life-threatening parasite at any age. Blood transfusions may be necessary in advanced cases.

Whipworms

These are tiny worms that inhabit and develop in the lower bowel. They often cause chronic watery diarrhea and weight loss. Their life cycle is longer than most intestinal parasites, and proper timing of repeated deworming is important for their control.

Influenza

Dog flu, or canine influenza virus, is an infectious respiratory disease caused by an influenza A virus, similar to the viral strains that cause influenza in people. There are two known strains of dog flu found in the United States: H3N8. H3N2. Signs of influenza include coughing (both moist & dry, sneezing, nasal discharge, purulent nasal discharge, runny eyes, fever, lethargy, difficulty breathing. Dog flu symptoms resemble kennel cough symptoms, which is also an illness you should talk to your veterinarian about as soon as you notice symptoms.



Fleas

Fleas are readily seen in a dog's haircoat. They are pencil-lead size, brown, compressed side to side and seem to be in constant motion. They are seen most easily at the base of the tail, between the ears, or in the short hair on the abdomen. Many treatments are available; however, the dog's environment must be treated just as vigorously, due to infant flea stages that are on your pet. Flea control should be implemented at the earliest sign of flea infestation because fleas multiply rapidly and a small problem becomes a major one in just a few days. While most dogs scratch with fleas, some dogs are also allergic to flea saliva. For them, one flea bite can set off an allergic reaction of severe skin inflammation.

Ticks

Ticks are most prevalent in early spring and are most commonly found on outdoor dogs that get into underbrush and wooded areas. Ticks can transmit several diseases and should be removed with care. Grasp the tick near its head with a pair of tweezers and pull away from the skin with a firm tug. Do not try to kill the tick first. Disinfect the area with alcohol to prevent infection.

Lice

These are small, light-colored parasites that are transmitted dog to dog. They can be seen at the base of the hair. Signs of lice infestation (pediculosis) are a rough and dry haircoat, matted hair, and scratching and biting of the skin.

Mange

Mites cause two types of mange in dogs. Sarcoptic mange is caused by the sarcoptic mite, a microscopic parasite similar to a chigger. These mites are transmitted from dog to dog and can also infect human skin. They burrow into the skin and cause severe itching and consequent skin irritation and inflammation. Hair loss can be severe and generalized over the body. Diagnosis by a veterinarian is essential, and treatment is usually quite effective. All animals in contact with the infected dog should be treated at the same time.

Demodectic mange is caused by demodectic mites that destroy the hair follicle in which they reside. This causes small patches of hair loss that can spread to the entire body. The initial skin lesions may become infected and are difficult to treat. The tendency to develop demodectic mange is thought to be hereditary. It is seen most frequently in pure-bred dogs. Demodectic mange is not contagious. Diagnosis and treatment by a veterinarian are necessary; treatment is difficult.

Ear Mites

These mites tunnel in the skin of the outer ear canal. They are easily transmitted from dog to dog or cat to dog. They can be seen in the ear with magnification. Ear mites are suspected when dark coffee-ground debris is present in the ears. Infestation signs are head shaking and scratching at the ears. Left untreated, ear mites predispose the ear to secondary bacterial infection. Treatment requires cleaning of the ear by a veterinarian and use of mite-killing insecticide. Be sure to treat any other cats or dogs in the household.

